

UNITED STATES DISTRICT COURT
SOUTHERN DISTRICT OF NEW YORK

-----X
ALEXANDER GOMEZ,

Plaintiff,

-against-

Case No. _____

COMPLAINT

THE HOUSE OF HEALTH, HEALING AND HAPPINESS
INC. d/b/a THE CARAVAN OF DREAMS and 405 LP/AA
LLC

Defendants.
-----X

Plaintiff Alexander Gomez (hereafter referred to as "plaintiff"), by counsel, Gabriel A. Levy, P.C., as and for the Complaint in this action against The House of Health, Healing and Happiness d/b/a The Caravan of Dreams and 405 LP/AA LLC, (together referred to as "defendants"), hereby alleges as follows:

NATURE OF THE CLAIMS

1. This lawsuit opposes pervasive, ongoing and inexcusable disability discrimination by the defendants. In this action, plaintiff seeks declaratory, injunctive and equitable relief, as well as monetary damages and attorney's fees, costs and expenses to redress defendants' unlawful disability discrimination against plaintiff, in violation of Title III of the Americans with Disabilities Act ("ADA") 42 U.S.C. §§ 12181 *et. seq.* and its implementing regulations, the New York State Executive Law (the "Executive Law"), § 296, New York State Civil Rights Law, § 40, and the Administrative Code of the City New York (the "Administrative Code"), § 8-107. As explained more fully below, defendants own, lease, lease to, operate and control a place of public accommodation that

violates the above-mentioned laws. Defendants are vicariously liable for the acts and omissions of their employees and agents for the conduct alleged herein.

2. These defendants made a financial decision to ignore the explicit legal requirements for making their place of public accommodation accessible to persons with disabilities – all in the hopes that they would never be caught. In so doing, defendants made a calculated, but unlawful, decision that disabled customers are not worthy. The day has come for defendants to accept responsibility. This action seeks to right that wrong by making defendants' place of public accommodation fully accessible so that plaintiff can finally enjoy the full and equal opportunity that defendants provide to non-disabled customers.

JURISDICTION AND VENUE

3. This Court has jurisdiction over this matter pursuant to 42 U.S.C. § 12188 and 28 U.S.C. §§ 1331 and 1343 as this action involves federal questions regarding the deprivation of plaintiff's rights under the ADA. The Court has supplemental jurisdiction over plaintiff's related claims arising under the New York State and City laws pursuant to 28 U.S.C. § 1367(a).

4. Venue is proper in this district pursuant to 28 U.S.C. § 1391(b) because defendants' acts of discrimination alleged herein occurred in this district and defendants' place of public accommodation that is the subject of this action is located in this district.

PARTIES

5. At all times relevant to this action, plaintiff Alexander Gomez currently resides in Bronx, New York, and has been and remains currently a resident of the State of New York.

6. At all times relevant to this action, plaintiff Alexander Gomez has been

and remains bound to ambulate in a wheelchair, having suffered a spinal cord injury. Plaintiff suffers from medical conditions that inhibit walking and restrict body motion range and movement.

7. At all relevant times, the defendants operate and/or lease property located at or about 405 East 6th Street, New York, New York 10009 (hereinafter referred to as the “Premises”).

8. Each defendant is licensed to and/ or does business in New York State.

9. At all relevant times, the defendants operate a restaurant at the Premises.

ALLEGATIONS COMMON TO ALL CAUSES OF ACTION

10. Each of the defendants is a public accommodation as they own, lease, lease to, control or operate a place of public accommodation, the Premises, within the meaning of the ADA (42 U.S.C. § 12181 and 28 C.F.R. § 36.104), the Executive Law (§ 292(9)) and the Administrative Code (§ 8- 102(9)).

11. The Premises is a place of public accommodation within the meaning of the ADA (42 U.S.C. § 12181 and 28 C.F.R. § 36.104), the Executive Law (§ 292(9)) and the Administrative Code (§ 8-102(9)) as it is a facility operated by a private entity and its operations affect commerce.

12. Numerous architectural barriers exist at defendants’ place of public accommodation (the “Premises”) that prevent and/or restrict access to plaintiff, a person with a disability.

13. Upon information and belief, the Premises was designed and constructed for first possession after January 26, 1993.

14. Upon information and belief, at some time after January 1992, defendants

made alterations to the Premises, including areas adjacent and/or attached to the Premises.

15. Upon information and belief, at some time after January 1992, defendants made alterations to the Premises.

16. Within the past three years of filing this action, plaintiff attempted to and desired to access the Premises.

17. The services, features, elements and spaces of defendants' place of public accommodation are not readily accessible to, or usable by plaintiff as required by the Americans with Disabilities Act Accessibility Guidelines, 28 C.F.R. Part 36, Appendix A, and adopted by the United States Department of Justice in 1991 as the Standards for Accessible Design ("1991 Standards") or the revised final regulations implementing Title III of the ADA adopted by the United States Department of Justice in 2010 as the 2010 Standards for Accessible Design ("2010 Standards").

18. Because of defendants' failure to comply with the above-mentioned laws, including but not limited to the 1991 Standards or the 2010 Standards and the Administrative Code, plaintiff was and has been unable to enjoy safe, equal and complete access to defendants' place of public accommodation.

19. Defendants' place of public accommodation has not been designed, constructed, or altered in compliance with the 1991 Standards, the 2010 Standards, the Administrative Code, the Building Code of the City of New York ("BCCNY"), or the 2014 New York City Construction Code ("2014 NYC").

20. Barriers to access that plaintiff encountered and/or which deter plaintiff from patronizing the defendants' place of public accommodation as well as barriers that exist include, but are not limited to, the following:

- I. INACCESSIBLE ENTRANCE. ACCESSIBLE ROUTE TO ESTABLISHMENT NOT PROVIDED AS REQUIRED. ACCESSIBLE MEANS OF EGRESS NOT PROVIDED AS REQUIRED. EXISTING STEP AT ENTRANCE ACTS AS A BARRIER TO ACCESSIBILITY. REQUIRED RAMP NOT PROVIDED FOR STEP AT ENTRANCE.
 - a. Accessible routes shall be provided in accordance with 206 and shall comply with Chapter 4. Accessible routes shall be provided where required by 206.2. At least one accessible route shall be provided within the site from accessible parking spaces and accessible passenger loading zones; public streets and sidewalks; and public transportation stops to the accessible building or facility entrance they serve. Entrances shall be provided in accordance with 206.4. Entrance doors, doorways, and gates shall comply with 404 and shall be on an accessible route complying with 402. In addition to entrances required by 206.4.2 through 206.4.9, at least 60 percent of all public entrances shall comply with 404. Means of egress shall comply with section 1003.2.13 of the International Building Code (2000 edition and 2001 Supplement) or section 1007 of the International Building Code (2003 edition) (incorporated by reference, "Referenced Standards" in Chapter 1). Changes in level shall comply with 303. Changes in level greater than ½ inch high shall be ramped, and shall comply with 405 or 406.
- II. INACCESSIBLE DINING TABLES LOCATED AT EXTERIOR DINING AREA. INACCESSIBLE TRAVEL PATH TO DINING TABLES LOCATED AT EXTERIOR DINING AREA. ACCESSIBLE ROUTE TO DINING TABLES LOCATED AT EXTERIOR DINING ARE NOT PROVIDED AS REQUIRED. EXISTING STEPS AT TRAVEL PATH LEADING TO DINING TABLES LOCATED AT EXTERIOR DINING AREA ACT AS A BARRIER TO ACCESSIBILITY.
 - a. In restaurants and cafeterias, an accessible route shall be provided to all dining areas, including raised or sunken dining areas, and outdoor dining areas.
- III. REQUIRED MINIMUM KNEE AND TOE CLEARANCE NOT PROVIDED AT DINING TABLES LOCATED AT EXTERIOR DINING AREA. A MINIMUM PERCENTAGE OF EXISTING DINING TABLES REQUIRED TO BE ACCESSIBLE NOT PROVIDED.
 - a. Where dining surfaces are provided for the consumption of food or drink, at least 5 percent of the seating spaces and standing spaces at the dining surfaces shall comply with 902. Dining surfaces and work surfaces shall comply with 902.2 and 902.3. A clear floor space complying with 305 positioned for a forward approach shall be provided. Knee and toe clearance complying with 306 shall be provided. Where toe clearance is required at an element as part of a clear floor space, the toe clearance shall extend 17 inches (430 mm) minimum under the element. Toe clearance shall be 30 inches (760 mm) wide minimum. Where knee clearance is required under an element as part of a clear floor space, the knee clearance shall be 11 inches deep minimum at 9 inches above the ground, and 8 inches deep minimum at 27 inches (685 mm) above the finish floor or ground. Knee clearance shall be 30 inches (760 mm) wide minimum.
- IV. INACCESSIBLE DINING TABLES LOCATED AT INTERIOR DINING AREA. REQUIRED MINIMUM KNEE AND TOE CLEARANCE NOT PROVIDED AT DINING TABLES. A MINIMUM PERCENTAGE OF EXISTING DINING TABLES REQUIRED TO BE ACCESSIBLE NOT PROVIDED.
 - a. Where dining surfaces are provided for the consumption of food or drink, at least 5 percent of the seating spaces and standing spaces at the dining surfaces shall comply with 902. Dining surfaces and work surfaces shall comply with 902.2 and 902.3. A clear floor space complying with 305 positioned for a forward approach shall be provided. Knee and toe clearance complying with 306 shall be provided. Where toe clearance is required at an

element as part of a clear floor space, the toe clearance shall extend 17 inches (430 mm) minimum under the element. Toe clearance shall be 30 inches (760 mm) wide minimum. Where knee clearance is required under an element as part of a clear floor space, the knee clearance shall be 11 inches deep minimum at 9 inches above the ground, and 8 inches deep minimum at 27 inches (685 mm) above the finish floor or ground. Knee clearance shall be 30 inches (760 mm) wide minimum.

V. **INACCESSIBLE DINING COUNTER. NON-COMPLIANT HEIGHT OF DINING COUNTER EXCEEDS MAXIMUM HEIGHT ALLOWANCE. REQUIRED MINIMUM KNEE AND TOE CLEARANCE NOT PROVIDED AT DINING COUNTER. PORTION OF DINING COUNTER REQUIRED TO BE ACCESSIBLE NOT PROVIDED.**

- a. Where dining surfaces are provided for the consumption of food or drink, at least 5 percent of the seating spaces and standing spaces at the dining surfaces shall comply with 902. Dining surfaces and work surfaces shall comply with 902.2 and 902.3. A clear floor space complying with 305 positioned for a forward approach shall be provided. Knee and toe clearance complying with 306 shall be provided. Where toe clearance is required at an element as part of a clear floor space, the toe clearance shall extend 17 inches (430 mm) minimum under the element. Toe clearance shall be 30 inches (760 mm) wide minimum. Where knee clearance is required under an element as part of a clear floor space, the knee clearance shall be 11 inches deep minimum at 9 inches above the ground, and 8 inches deep minimum at 27 inches (685 mm) above the finish floor or ground. Knee clearance shall be 30 inches (760 mm) wide minimum.

VI. **INACCESSIBLE RESTROOMS. INACCESSIBLE TRAVEL PATH LEADING TO RESTROOMS. AN ACCESSIBLE ROUTH LEADING TO RESTROOM NOT PROVIDED. REQUIRED MINIMUM CLEAR WIDTH NOT PROVIDED AT TRAVEL PATH LEADING TO RESTROOMS.**

- a. Accessible routes shall comply with 402. Accessible routes shall consist of one or mote of the following components: walking surfaces with a running slope not steeper than 1:20, doorways, ramps, curb ramps, excluding the flared sides, elevators, and platform lifts. All components of an accessible route shall comply with the applicable requirements of Chapter 4. Walking surfaces that are a part of an accessible route shall comply with 403. Except as provided in 403.5.2 and 403.5.3, the clear width of walking surfaces shall be 36 inches (915 mm) minimum.

VII. **EXISTING STEP AT TRAVEL OATH TO RESTROOMS ACT AS A BARRIER TO ACCESSIBILITY. REQUIRED RAMP NOT PROVIDED FOR STEP AT TRAVEL PATH LEADING TO RESTROOMS.**

- a. Accessible routes shall be provided in accordance with 206 and shall comply with Chapter 4. Changes in level shall comply with 303. Changes in level greater than ½ inch high shall be ramped, and shall comply with 405 or 406.

VIII. **COMPLIANT SIGNAGE IDENTIFYING THE FIRST OF TWO RESTROOMS NOT PROVIDED AS REQUIRED.**

- a. Signs shall be provided in accordance with 216 and shall comply with 703. Interior and exterior signs identifying permanent rooms and spaces shall comply with 703.1, 703.2, and 703.5. Where pictograms are provided as designations of permanent interior rooms and spaces, the pictograms shall comply with 703.6 and shall have text descriptors complying with 703.2 and 703.5. Section 216.2 applies to signs that provide designations, labels, or names for interior rooms or spaces where the sign is not likely to change over time. Examples include interior signs labeling restrooms, room and floor numbers or letters, and room names. Tactile text descriptors are required for pictograms that are provided to label or

identify a permanent room or space. Pictograms that provide information about a room or space, such as “no smoking,” occupant logos, and the International Symbol of Accessibility, are not required to have text descriptors. Signs shall comply with 703. Where both visual and tactile characters are required, either one sign with both visual and tactile characters, or two separate signs, one with visual, and one with tactile characters, shall be provided. Tactile characters on signs shall be located 48 inches (1220 mm) minimum above the finish floor or ground surface, measured from the baseline of the lowest tactile character and 60 inches (1525 mm) maximum above the finish floor or ground surface, measured from the baseline of the highest tactile character. Where a tactile sign is provided at a door, the sign shall be located alongside the door at the latch side. Where a tactile sign is provided at double doors with one active leaf, the sign shall be located on the inactive leaf. Where a tactile sign is provided at double doors with two active leaves, the sign shall be located to the right of the right hand door. Where there is no wall space at the latch side of a single door or at the right side of double doors, signs shall be located on the nearest adjacent wall. Signs containing tactile characters shall be located so that a clear floor space of 18 inches (455 mm) minimum by 18 inches (455 mm) minimum, centered on the tactile characters, is provided beyond the arc of any door swing between the closed position and 45 degree open position.

- IX. **REQUIRED MINIMUM CLEAR WIDTH NOT PROVIDED AT RESTROOM DOOR.**
 - a. Door openings shall provide a clear width of 32 inches (815 mm) minimum. Clear openings of doorways with swinging doors shall be measured between the face of the door and the stop, with the door open 90 degrees.
- X. **REQUIRED MINIMUM MANEUVERING CLEARANCE NOT PROVIDED AT ENTRANCE DOOR AT FIRST OF TWO RESTROOMS.**
 - a. Minimum maneuvering clearances at doors and gates shall comply with 404.2.4. Maneuvering clearances shall extend the full width of the doorway and the required latch side or hinge side clearance.
- XI. **NON-COMPLIANT DOOR SWING OF DOOR OF THE FIRST OF TWO RESTROOMS. RESTROOM DOOR SWINGS INTO THE FLOOR SPACE OF FIXTURES IN THE FIRST OF TWO RESTROOMS.**
 - a. Doors shall not swing into the clear floor space or clearance required for any fixture.
- XII. **NON-COMPLIANT DOOR KNOB AT DOOR OF THE FIRST OF TWO RESTROOMS REQUIRES TWISTING OF THE WRIST.**
 - a. Handles, pulls, latches, locks, and other operable parts on doors and gates shall comply with 309.4 Operable parts shall be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to activate operable parts shall be 5 pounds maximum.
- XIII. **REQUIRED MINIMUM TURNING SPACE NOT PROVIDED IN FIRST OF TWO RESTROOMS.**
 - a. Toilet and bathing rooms shall comply with 603. Clearances shall comply with 603.2. Turning space complying with 304 shall be provided within the room. The turning space shall be a space of 60 inches (1525 mm) diameter minimum. The space shall be permitted to include knee and toe clearance complying with 306.
- XIV. **INACCESSIBLE WATER CLOSET IN FIRST OF TWO RESTROOMS. REQUIRED MINIMUM CLEARANCE NOT PROVIDED AT WATER CLOSET IN FIRST OF TWO RESTROOMS.**
 - a. Clearances around water closets and in toilet compartments shall comply with 604.3. Clearance around a water closet shall be 60 inches (1525 mm) minimum measured perpendicular from the side wall and 56 inches (1420 mm) minimum measured perpendicular from the rear wall.

- XV. NON-COMPLIANT DISTANCE OF WATER CLOSET FROM SIDE WALL IN THE FIRST OF TWO RESTROOMS.
 - a. The water closet shall be positioned with a wall or partition to the rear and to one side. The centerline of the water closet shall be 16 inches minimum to 18 inches maximum from the side wall or partition.
- XVI. NON-COMPLIANT EXISTING GRAB BAR AT REAR WALL OF WATER CLOSET IN THE FIRST OF TWO RESTROOMS DOES NOT MEET MINIMUM SIZE REQUIREMENT.
 - a. The rear wall grab bar shall be 36 inches (915 mm) long minimum and extend from the centerline of the water closet 12 inches (305 mm) minimum on one side and 24 inches (610 mm) minimum on the other side.
- XVII. NON-COMPLIANT EXISTING GRAB BAR AT SIDE WALL OF WATER CLOSET IN THE FIRST OF TWO RESTROOMS DOES NOT MEET MINIMUM SIZE REQUIREMENT.
 - a. The rear wall grab bar shall be 36 inches (915 mm) long minimum and extend from the centerline of the water closet 12 inches (305 mm) minimum on one side and 24 inches (610 mm) minimum on the other side.
- XVIII. INACCESSIBLE LAVATORY IN THE FIRST OF TWO RESTROOMS. REQUIRED MINIMUM CLEAR FLOOR SPACE NOT PROVIDED AT LAVATORY IN THE FIRST OF TWO RESTROOMS.
 - a. A clear floor space complying with 305, positioned for a forward approach, and knee and toe clearance complying with 306 shall be provided. The clear floor or ground space shall be 30 inches (760 mm) minimum by 48 inches (1220 mm) minimum.
- XIX. REQUIRED MINIMUM KNEE AND TOE CLEARANCE NOT PROVIDED AT LAVATORY IN THE FIRST OF TWO RESTROOMS.
 - a. A clear floor space complying with 305, positioned for a forward approach, and knee and toe clearance complying with 306 shall be provided. Where toe clearance is required at an element as part of a clear floor space, the toe clearance shall extend 17 inches (430 mm) minimum under the element. Toe clearance shall be 30 inches (760 mm) wide minimum. Where knee clearance is required under an element as part of a clear floor space, the knee clearance shall be 11 inches deep minimum at 9 inches above the ground, and 8 inches deep minimum at 27 inches (685 mm) above the finish floor or ground. Knee clearance shall be 30 inches (760 mm) wide minimum.
- XX. INSULATION OF PIPES AND WATER LINES UNDER THE LAVATORY IN THE FIRST OF TWO RESTROOMS NOT PROVIDED AS REQUIRED.
 - a. Water supply and drain pipes under lavatories and sinks shall be insulated or otherwise configured to protect against contact. There shall be no sharp or abrasive surfaces under lavatories and sinks.
- XXI. INACCESSIBLE MIRROR IN THE FIRST OF TWO RESTROOMS. NON COMPLIANT MOUNTED HEIGHT OF MIRROR IN THE RESTROOM EXCEEDS MAXIMUM HEIGHT ALLOWANCE.
 - a. Mirrors located above lavatories or countertops shall be installed with the bottom edge of the reflecting surface 40 inches (1015 mm) maximum above the finish floor or ground. Mirrors not located above lavatories or countertops shall be installed with the bottom edge of the reflecting surface 35 inches (890 mm) maximum above the finish floor or ground.
- XXII. INACCESSIBLE COAT HOOK IN THE FIRST OF TWO RESTROOMS. NON-COMPLIANT HEIGHT OF COAT HOOK IN RESTROOM EXCEEDS MAXIMUM HEIGHT ALLOWANCE.
 - a. Coat hooks shall be located within one of the reach ranges specified in 308. Where a forward reach is unobstructed, the high forward reach shall be 48 inches maximum and the low forward reach shall be 15 inches minimum above the finish floor or ground. Where a high

forward reach is over an obstruction, the clear floor space shall extend beneath the element for a distance not less than the required reach depth over the obstruction. The high forward reach shall be 48 inches maximum where the reach depth is 20 inches maximum. Where the reach depth exceeds 20 inches, the high forward reach shall be 44 inches maximum and the reach depth shall be 25 inches maximum. Where a clear floor or ground space allows a parallel approach to an element and the side reach is unobstructed, the high side reach shall be 48 inches maximum and the low side reach shall be 15 inches minimum above the finish floor or ground. Where a clear floor or ground space allows a parallel approach to an element and the high side reach is over an obstruction, the height of the obstruction shall be 34 inches maximum and the depth of the obstruction shall be 24 inches maximum. The high side reach shall be 48 inches maximum for a reach depth of 10 inches maximum. Where the reach depth exceeds 10 inches, the high side reach shall be 46 inches maximum for a reach depth of 24 inches maximum.

XXIII. COMPLIANT SIGNAGE IDENTIFYING THE SECOND OF TWO RESTROOMS NOT PROVIDED AS REQUIRED.

- a. Signs shall be provided in accordance with 216 and shall comply with 703. Interior and exterior signs identifying permanent rooms and spaces shall comply with 703.1, 703.2, and 703.5. Where pictograms are provided as designations of permanent interior rooms and spaces, the pictograms shall comply with 703.6 and shall have text descriptors complying with 703.2 and 703.5. Section 216.2 applies to signs that provide designations, labels, or names for interior rooms or spaces where the sign is not likely to change over time. Examples include interior signs labeling restrooms, room and floor numbers or letters, and room names. Tactile text descriptors are required for pictograms that are provided to label or identify a permanent room or space. Pictograms that provide information about a room or space, such as “no smoking,” occupant logos, and the International Symbol of Accessibility, are not required to have text descriptors. Signs shall comply with 703. Where both visual and tactile characters are required, either one sign with both visual and tactile characters, or two separate signs, one with visual, and one with tactile characters, shall be provided. Tactile characters on signs shall be located 48 inches (1220 mm) minimum above the finish floor or ground surface, measured from the baseline of the lowest tactile character and 60 inches (1525 mm) maximum above the finish floor or ground surface, measured from the baseline of the highest tactile character. Where a tactile sign is provided at a door, the sign shall be located alongside the door at the latch side. Where a tactile sign is provided at double doors with one active leaf, the sign shall be located on the inactive leaf. Where a tactile sign is provided at double doors with two active leaves, the sign shall be located to the right of the right hand door. Where there is no wall space at the latch side of a single door or at the right side of double doors, signs shall be located on the nearest adjacent wall. Signs containing tactile characters shall be located so that a clear floor space of 18 inches (455 mm) minimum by 18 inches (455 mm) minimum, centered on the tactile characters, is provided beyond the arc of any door swing between the closed position and 45 degree open position.

XXIV. REQUIRED MINIMUM CLEAR WIDTH NOT PROVIDED AT DOOR OF THE SECOND OF TWO RESTROOMS.

- a. Door openings shall provide a clear width of 32 inches (815 mm) minimum. Clear openings of doorways with swinging doors shall be measured between the face of the door and the stop, with the door open 90 degrees.

XXV. REQUIRED MINIMUM MANEUVERING CLEARANCE NOT PROVIDED AT THE SECOND OF TWO RESTROOMS.

- a. Minimum maneuvering clearances at doors and gates shall comply with 404.2.4. Maneuvering clearances shall extend the full width of the doorway and the required latch side or hinge side clearance.
- XXVI. NON-COMPLIANT DOOR SWING OF DOOR OF THE SECOND OF TWO RESTROOMS. DOOR OF THE SECOND OF TWO RESTROOMS SWINGS INTO THE FLOOR SPACE OF RESTROOM FIXTURES.
 - a. Doors shall not swing into the clear floor space or clearance required for any fixture.
- XXVII. NON-COMPLIANT DOOR KNOB AT DOOR OF THE SECOND OF TWO RESTROOMS REQUIRES TWISTING OF THE WRIST.
 - a. Handles, pulls, latches, locks, and other operable parts on doors and gates shall comply with 309.4 Operable parts shall be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to activate operable parts shall be 5 pounds maximum.
- XXVIII. REQUIRED MINIMUM TURNING SPACE NOT PROVIDED IN THE SECOND OF TWO RESTROOMS.
 - a. Toilet and bathing rooms shall comply with 603. Clearances shall comply with 603.2. Turning space complying with 304 shall be provided within the room. The turning space shall be a space of 60 inches (1525 mm) diameter minimum. The space shall be permitted to include knee and toe clearance complying with 306.
- XXIX. INACCESSIBLE WATER CLOSET IN THE SECOND OF TWO RESTROOMS. REQUIRED MINIMUM CLEARANCE NOT PROVIDED AT WATER CLOSET IN SECOND OF TWO RESTROOMS.
 - a. Clearances around water closets and in toilet compartments shall comply with 604.3. Clearance around a water closet shall be 60 inches (1525 mm) minimum measured perpendicular from the side wall and 56 inches (1420 mm) minimum measured perpendicular from the rear wall.
- XXX. REQUIRED GRAB BARS NOT PROVIDED ON REAR AND SIDE WALLS OF WATER CLOSET IN THE SECOND OF TWO RESTROOMS.
 - a. Grab bars for water closets shall comply with 609. Grab bars shall be provided on the side wall closest to the water closet and on the rear wall.
- XXXI. NON-COMPLIANT DISTANCE OF WATER CLOSET FROM SIDE WALL IN THE SECOND OF TWO RESTROOMS.
 - a. The water closet shall be positioned with a wall or partition to the rear and to one side. The centerline of the water closet shall be 16 inches minimum to 18 inches maximum from the side wall or partition.
- XXXII. INACCESSIBLE LAVATORY IN THE SECOND OF TWO RESTROOMS. REQUIRED MINIMUM CLEAR FLOOR SPACE NOT PROVIDED AT LAVATORY IN THE SECOND OF TWO RESTROOMS.
 - a. A clear floor space complying with 305, positioned for a forward approach, and knee and toe clearance complying with 306 shall be provided. The clear floor or ground space shall be 30 inches (760 mm) minimum by 48 inches (1220 mm) minimum.
- XXXIII. REQUIRED MINIMUM KNEE AND TOE CLEARANCE NOT PROVIDED AT LAVATORY IN THE SECOND OF TWO RESTROOMS.
 - a. A clear floor space complying with 305, positioned for a forward approach, and knee and toe clearance complying with 306 shall be provided. Where toe clearance is required at an element as part of a clear floor space, the toe clearance shall extend 17 inches (430 mm) minimum under the element. Toe clearance shall be 30 inches (760 mm) wide minimum. Where knee clearance is required under an element as part of a clear floor space, the knee

clearance shall be 11 inches deep minimum at 9 inches above the ground, and 8 inches deep minimum at 27 inches (685 mm) above the finish floor or ground. Knee clearance shall be 30 inches (760 mm) wide minimum.

XXXIV. NON-COMPLIANT FAUCET KNOBS AT LAVATORY IN THE SECOND OF TWO RESTROOMS REQUIRE TWISTING OF THE WRIST.

- a. Controls for faucets shall comply with 309. Hand-operated metering faucets shall remain open for 10 seconds minimum. Operable parts shall be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to activate operable parts shall be 5 pounds (22.2 N) maximum.

XXXV. INSULATION OF PIPES AND WATER LINES UNDER THE LAVATORY IN SECOND OF TWO RESTROOMS NOT PROVIDED AS REQUIRED.

- a. Water supply and drain pipes under lavatories and sinks shall be insulated or otherwise configured to protect against contact. There shall be no sharp or abrasive surfaces under lavatories and sinks.

XXXVI. INACCESSIBLE PAPER TOWEL DISPENSER IN THE SECOND OF TWO RESTROOMS. NON COMPLIANT MOUNTED HEIGHT OF PAPER TOWEL DISPENSER IN THE SECOND OF TWO RESTROOMS EXCEEDS MAXIMUM HEIGHT ALLOWANCE.

- a. If soap and towel dispensers are provided, they must be located within the reach ranges specified in 308. Where a forward reach is unobstructed, the high forward reach shall be 48 inches maximum and the low forward reach shall be 15 inches minimum above the finish floor or ground. Where a high forward reach is over an obstruction, the clear floor space shall extend beneath the element for a distance not less than the required reach depth over the obstruction. The high forward reach shall be 48 inches maximum where the reach depth is 20 inches maximum. Where the reach depth exceeds 20 inches, the high forward reach shall be 44 inches maximum and the reach depth shall be 25 inches maximum. Where a clear floor or ground space allows a parallel approach to an element and the side reach is unobstructed, the high side reach shall be 48 inches maximum and the low side reach shall be 15 inches minimum above the finish floor or ground. Where a clear floor or ground space allows a parallel approach to an element and the high side reach is over an obstruction, the height of the obstruction shall be 34 inches maximum and the depth of the obstruction shall be 24 inches maximum. The high side reach shall be 48 inches maximum for a reach depth of 10 inches maximum. Where the reach depth exceeds 10 inches, the high side reach shall be 46 inches maximum for a reach depth of 24 inches maximum.

XXXVII. INACCESSIBLE MIRROR IN THE SECOND OF TWO RESTROOMS. NON COMPLIANT MOUNTED HEIGHT OF MIRROR IN THE RESTROOM EXCEEDS MAXIMUM HEIGHT ALLOWANCE.

- a. Mirrors located above lavatories or countertops shall be installed with the bottom edge of the reflecting surface 40 inches (1015 mm) maximum above the finish floor or ground. Mirrors not located above lavatories or countertops shall be installed with the bottom edge of the reflecting surface 35 inches (890 mm) maximum above the finish floor or ground.

21. The above listing is not to be considered all-inclusive of the barriers, which exist at the Premises.

22. Upon information and belief, a full inspection of the defendants' place of public accommodation will reveal the existence of other barriers to access.

23. As required by the ADA (remedial civil rights legislation) to properly remedy defendants' discriminatory violations and avoid piecemeal litigation, plaintiff requires a full inspection of the defendants' public accommodation in order to catalogue and cure all of the areas of non-compliance with the ADA. Notice is therefore given that plaintiff intends on amending the Complaint to include any violations discovered during an inspection that are not contained in this Complaint.

24. Defendants have denied plaintiff the opportunity to participate in or benefit from services or accommodations because of a disability.

25. Defendants have not satisfied their statutory obligation to ensure that their policies, practices, procedures for persons with disabilities are compliant with the laws. Nor have defendants made or provided reasonable accommodations or modifications to persons with disabilities.

26. Plaintiff has a realistic, credible and continuing threat of discrimination from the defendants' non-compliance with the laws prohibiting disability discrimination. The barriers to access within defendants' place of public accommodation continue to exist and deter plaintiff.

27. Plaintiff frequently travels to the area where defendants' place of public accommodation is located.

28. Plaintiff intends to patronize the defendants' place of public accommodation several times a year after it becomes fully accessible.

29. Plaintiff is also a "tester" for the purposes of asserting basic civil rights and monitoring, ensuring, and determining whether defendants' place of public accommodation is fully accessible.

30. Plaintiff intends to patronize the defendants' place of public

accommodation several times a year as “tester” to monitor, ensure, and determine whether defendants’ place of public accommodation is fully accessible.

FIRST CAUSE OF ACTION
(VIOLATIONS OF THE AMERICANS WITH DISABILITIES ACT)

31. Plaintiff realleges and incorporates by reference all allegations set forth in this Complaint as if fully set forth herein.

32. Plaintiff is substantially limited in the life activity of both walking and body motion range and thus has a disability within the meaning of the ADA. As a direct and proximate result of plaintiff’s disability, plaintiff uses a wheelchair for mobility, and also has restricted range of motion.

33. The ADA imposes joint and several liability on both the property owner and lessee of a public accommodation. 28 C.F.R. 36.201(b).

34. Under the ADA, both the property owner and lessee are liable to the plaintiff and neither can escape liability by transferring their obligations to the other by contract (i.e. lease agreement). 28 C.F.R. 36.201(b).

35. Defendants have and continue to subject plaintiff to disparate treatment by denying plaintiff full and equal opportunity to use their place of public accommodation all because plaintiff is disabled. Defendants’ policies and practices have disparately impacted plaintiff as well.

36. By failing to comply with the law, defendants have articulated to disabled persons such as the plaintiff that they are not welcome, objectionable and not desired as patrons of their public accommodation.

37. Defendants have discriminated against the plaintiff by designing and/or constructing a building, facility and place of public accommodation that is not readily

accessible to and usable by the disabled plaintiff and not fully compliant with the 1991 Standards or the 2010 Standards. See 28 C.F.R. § 36.401(A)(1) and 42 U.S.C.

§12183(a)(1).

38. Defendants' place of public accommodation is not fully accessible and fails to provide an integrated and equal setting for the disabled, all in violation of 42 U.S.C. §12182(b)(1)(A) and 28 C.F.R. § 36.203.

39. Upon making alterations to their public accommodation, defendants failed to make their place of public accommodation accessible to plaintiff to the maximum extent feasible in violation of 28 C.F.R. §§ 36.402 and 36.406.

40. Upon making these alterations to the primary function areas, defendants failed to make the paths of travel to the primary function areas accessible to plaintiff, in violation of 28 C.F.R. § 36.403.

41. 28 C.F.R. § 36.406(5) requires defendants to make the facilities and elements of their noncomplying public accommodation accessible in accordance with the 2010 Standards.

42. Defendants failed to make all readily achievable accommodations and modifications to remove barriers to access in violation of 28 C.F.R. § 36.304. It would be readily achievable to make defendants' place of public accommodation fully accessible.

43. By failing to remove the barriers to access where it is readily achievable to do so, defendants have discriminated against plaintiff on the basis of disability in violation of § 302(a) and 302(b)(2)(A)(iv) of the ADA, 42 U.S.C. § 12182(a), (b)(2)(A)(iv), and 28 C.F.R. § 36.304.

44. In the alternative, defendants have violated the ADA by failing to provide plaintiff with reasonable alternatives to barrier removal as required by 28 C.F.R.

§ 36.305.

45. Defendants' failure to remove the barriers to access constitutes a pattern and practice of disability discrimination in violation of 42 U.S.C. § 12181 *et. seq.*, and 28 C.F.R § 36.101 *et. seq.*

46. Defendants have and continue to discriminate against plaintiff in violation of the ADA by maintaining and/or creating an inaccessible public accommodation.

SECOND CAUSE OF ACTION
(VIOLATIONS OF THE NEW YORK STATE EXECUTIVE LAW)

47. Plaintiff realleges and incorporates by reference all allegations set forth in this Complaint as if fully set forth herein.

48. Plaintiff suffers from various medical conditions that separately and together prevent the exercise of normal bodily functions in plaintiff; in particular, the life activities of both walking and body motion range. Plaintiff therefore suffers from a disability within the meaning of the Executive Law § 296(21).

49. Defendants have and continue to subject plaintiff to disparate treatment by denying plaintiff equal opportunity to use their place of public accommodation all because plaintiff is disabled.

50. Defendants discriminated against plaintiff in violation of New York State Executive Law § 296(2), by maintaining and/or creating an inaccessible place of public accommodation. Each of the defendants have aided and abetted others in committing disability discrimination.

51. Defendants have failed to make all readily achievable accommodations and modifications to remove barriers to access in violation of Executive Law §

296(2)(c)(iii).

52. In the alternative, defendants have failed to provide plaintiff with reasonable alternatives to barrier removal as required in violation of Executive Law § 296(2)(c)(iv).

53. It would be readily achievable to make defendants' place of public accommodation fully accessible.

54. It would not impose an undue hardship or undue burden on defendants to make their place of public accommodation fully accessible.

55. As a direct and proximate result of defendants' unlawful discrimination in violation of New York State Executive Law, plaintiff has suffered, and continues to suffer emotional distress, including but not limited to humiliation, embarrassment, stress, and anxiety.

56. Plaintiff has suffered and will continue to suffer damages in an amount to be determined at trial.

THIRD CAUSE OF ACTION
(VIOLATIONS OF THE ADMINISTRATIVE CODE OF THE CITY OF NEW YORK)

57. Plaintiff realleges and incorporates by reference all allegations set forth in this Complaint as if fully set forth herein.

58. Plaintiff suffers from various medical conditions that separately and together, impair plaintiff's bodily systems - in particular, the life activity of both walking and body motion range -and thus plaintiff has a disability within the meaning of the Administrative Code § 8-102(16).

59. The Local Civil Rights Restoration Act of 2005 (the "Restoration Act"),

also known as Local Law 85, clarified the scope of the Administrative Code in relation to the New York City's Human Rights Law. The Restoration Act confirmed the legislative intent to abolish "parallelism" between the Administrative Code and the Federal and New York State anti-discrimination laws by stating as follows:

The provisions of this title shall be construed liberally for the accomplishment of the uniquely broad and remedial purposes thereof, regardless of whether federal or New York State civil and human rights laws, including those laws with provisions comparably-worded to provisions of this title, have been so construed.

Restoration Act § 7 amending Administrative Code §8-130 (emphasis added). The Restoration Act is to be construed broadly in favor of plaintiff to the fullest extent possible.

60. Defendants have and continue to subject plaintiff to disparate treatment and disparate impact by directly and indirectly refusing, withholding, and denying the accommodations, advantages, facilities, and privileges of their place of public accommodation all because of disability in violation of the Administrative Code § 8-107(4). Each of the defendants have aided and abetted others in committing disability discrimination.

61. Defendants have discriminated, and continue to discriminate, against plaintiff in violation of the Administrative Code § 8-107(4) by designing, creating and/or maintaining an inaccessible commercial facility/space.

62. Defendants have subjected, and continue to subject, plaintiff to disparate treatment by directly and indirectly refusing, withholding, and denying the accommodations, advantages, facilities, and privileges of their commercial

facility/space all because of disability in violation of the Administrative Code § 8-107(4).

63. In violation of Administrative Code § 8-107(6), defendants have and continue to, aid and abet, incite, compel or coerce each other in each of the other defendants' attempts to, and in their acts of directly and indirectly refusing, withholding, and denying the accommodations, advantages, facilities, and privileges of their commercial facility/space and the place of public accommodation therein, all because of disability, as well as other acts in violation of the Administrative Code.

64. Defendants discriminated against plaintiff in violation of the Administrative Code, § 8-107(4), and Local Law 58 by maintaining and/or creating an inaccessible public accommodation.

65. As a direct and proximate result of defendants' unlawful discrimination in violation of the Administrative Code, plaintiff has suffered, and continues to suffer emotional distress, including but not limited to humiliation, stress, and embarrassment.

66. Upon information and belief, defendants' long-standing refusal to make their place of public accommodation fully accessible was deliberate, calculated, egregious, and undertaken with reckless disregard to plaintiff's rights under the Administrative Code.

67. By failing to comply with the law in effect for decades, defendants have articulated to disabled persons such as the plaintiff that they are not welcome, objectionable and not desired as patrons of their public accommodation.

68. Defendants engaged in discrimination with willful or wanton negligence, and/or recklessness, and/or a conscious disregard of the rights of others and/or conduct so reckless as to amount to such disregard for which plaintiff is entitled to an award of

punitive damages pursuant to Administrative Code § 8-502.

69. By refusing to make their place of public accommodation accessible, defendants have unlawfully profited from their discriminatory conduct by collecting revenue from a non-compliant space and pocketing the money that they should have lawfully expended to pay for a fully compliant and accessible space. Defendants' unlawful profits plus interest must be disgorged.

70. Plaintiff has suffered and will continue to suffer damages in an amount to be determined at trial.

FOURTH CAUSE OF ACTION
(VIOLATIONS OF THE NEW YORK STATE CIVIL RIGHTS LAW)

71. Plaintiff realleges and incorporates by reference all allegations set in this Complaint as if fully set forth herein.

72. Defendants discriminated against plaintiff pursuant to New York State Executive Law.

73. Consequently, plaintiff is entitled to recover the monetary penalty prescribed by Civil Rights Law §§ 40-c and 40-d for each and every violation.

74. Notice of this action has been served upon the Attorney General as required by Civil Rights Law § 40-d.

INJUNCTIVE RELIEF

75. Plaintiff will continue to experience unlawful discrimination as a result of defendants' failure to comply with the above-mentioned laws. Therefore, injunctive relief is necessary to order defendants to alter and modify their place of public accommodation and their operations, policies, practices and procedures.

76. Injunctive relief is also necessary to make defendants' facilities readily accessible to and usable by plaintiff in accordance with the above-mentioned laws.

77. Injunctive relief is further necessary to order defendants to provide auxiliary aids or services, modification of their policies, and/or provision of alternative methods, in accordance with the ADA, Executive Law and the Administrative Code.

DECLARATORY RELIEF

78. Plaintiff is entitled to a declaratory judgment concerning each of the accessibility violations committed by defendants against plaintiff and as to required alterations and modifications to defendants' place of public accommodation, facilities, goods and services, and to defendants' policies, practices, and procedures.

ATTORNEY'S FEES, EXPENSES AND COSTS

79. In order to enforce plaintiff's rights against the defendants, plaintiff has retained counsel and is entitled to recover attorney's fees, expenses and costs pursuant to the ADA and the Administrative Code. 42 U.S.C. §12205; 28 C.F.R. §36.505; and Administrative Code § 8-502.

PRAYER FOR RELIEF

WHEREFORE, plaintiff respectfully requests that the Court enter a judgment against the defendants, jointly and severally, in favor of plaintiff that contains the following relief:

- i. Enter declaratory judgment declaring that defendants have violated the ADA and its implementing regulations, Executive Law and Administrative Code and declaring the rights of plaintiff as to defendants' place of public accommodation, and defendants' policies, practices and procedures;
- ii. Issue a permanent injunction ordering **defendants to close and cease all business** until defendants remove all violations of the ADA, the 1991 Standards or the 2010 Standards, Executive Law and

Administrative Code, including but not limited to the violations set forth above;

iii. Retain jurisdiction over the defendants until the Court is satisfied that the defendants' unlawful practices, acts and omissions no longer exist and will not reoccur;

iv. Award of compensatory damages in an amount to be determined at trial;

v. Award plaintiff punitive damages in order to punish and deter the defendants for their violations of the Administrative Code of the City of New York;

vi. Award reasonable attorney's fees, costs and expenses pursuant to the Administrative Code;

vii. Find that plaintiff is a prevailing party in this litigation and award reasonable attorney's fees, costs and expenses pursuant to the ADA; and

viii. For such other and further relief, at law or in equity, to which plaintiff may be justly entitled.

Dated: August 31, 2020

Brooklyn, New York

Respectfully submitted,

GABRIEL A. LEVY, P.C.

Attorney for Plaintiff

415 Red Hook Lane, Ste. 6E

Brooklyn, NY 11201

(516) 287-3458

By: /s/ Gabriel A. Levy, Esq.

GABRIEL A. LEVY, ESQ (5488655)

Glevyfirm@gmail.com